

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1	<p><u>SUBSTANCES:</u> Not applicable (mixture).</p>														
3.2	<p><u>MIXTURES:</u> This product is a mixture. <u>Chemical description:</u> Solution of chemicals in aqueous media. <u>Hazardous ingredients:</u> Substances taking part in a percentage higher than the exemption limit:</p> <table border="0" style="width: 100%;"> <tr> <td style="vertical-align: top; width: 10%;"> <p>2,5 < 5 % </p> </td> <td style="vertical-align: top; width: 45%;"> <p>Orthophosphoric acid CAS: 7664-38-2 , EC: 231-633-2 DSD: C:R34 CLP: Skin Corr. 1B:H314</p> </td> <td style="vertical-align: top; width: 20%;"> <p>REACH: 01-2119485924-24</p> </td> <td style="vertical-align: top; width: 25%;"> <p>Index No. 015-011-00-6 (Note B) < ATP12 < REACH / CLP00</p> </td> </tr> <tr> <td style="vertical-align: top;"> <p>2,5 < 5 % </p> </td> <td style="vertical-align: top;"> <p>2-(2-butoxyethoxy)ethanol CAS: 112-34-5 , EC: 203-961-6 DSD: Xi:R36 CLP: Eye Irrit. 2:H319</p> </td> <td style="vertical-align: top;"> <p>REACH: 01-2119475104-44</p> </td> <td style="vertical-align: top;"> <p>Index No. 603-096-00-8 < ATP25 < REACH / CLP00</p> </td> </tr> <tr> <td style="vertical-align: top;"> <p>< 0,5 % </p> </td> <td style="vertical-align: top;"> <p>C12-C15-alcohol ethoxylate(3) CAS: 68131-39-5 , EC: 500-195-7 DSD: Xi:R41 N:R50 CLP: Eye Dam. 1:H318 Aquatic Acute 1:H400</p> </td> <td></td> <td style="vertical-align: top;"> <p>Autoclassified < REACH < REACH</p> </td> </tr> </table> <p><u>Impurities:</u> Does not contain other components of impurities which will influence the classification of the product.</p> <p><u>Reference to other sections:</u> For more information, see sections 8, 11, 12 and 16.</p> <p><u>SUBSTANCES OF VERY HIGH CONCERN (SVHC):</u> List updated by ECHA on 16/12/2013. <u>Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None <u>Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None</p>			<p>2,5 < 5 % </p>	<p>Orthophosphoric acid CAS: 7664-38-2 , EC: 231-633-2 DSD: C:R34 CLP: Skin Corr. 1B:H314</p>	<p>REACH: 01-2119485924-24</p>	<p>Index No. 015-011-00-6 (Note B) < ATP12 < REACH / CLP00</p>	<p>2,5 < 5 % </p>	<p>2-(2-butoxyethoxy)ethanol CAS: 112-34-5 , EC: 203-961-6 DSD: Xi:R36 CLP: Eye Irrit. 2:H319</p>	<p>REACH: 01-2119475104-44</p>	<p>Index No. 603-096-00-8 < ATP25 < REACH / CLP00</p>	<p>< 0,5 % </p>	<p>C12-C15-alcohol ethoxylate(3) CAS: 68131-39-5 , EC: 500-195-7 DSD: Xi:R41 N:R50 CLP: Eye Dam. 1:H318 Aquatic Acute 1:H400</p>		<p>Autoclassified < REACH < REACH</p>
<p>2,5 < 5 % </p>	<p>Orthophosphoric acid CAS: 7664-38-2 , EC: 231-633-2 DSD: C:R34 CLP: Skin Corr. 1B:H314</p>	<p>REACH: 01-2119485924-24</p>	<p>Index No. 015-011-00-6 (Note B) < ATP12 < REACH / CLP00</p>												
<p>2,5 < 5 % </p>	<p>2-(2-butoxyethoxy)ethanol CAS: 112-34-5 , EC: 203-961-6 DSD: Xi:R36 CLP: Eye Irrit. 2:H319</p>	<p>REACH: 01-2119475104-44</p>	<p>Index No. 603-096-00-8 < ATP25 < REACH / CLP00</p>												
<p>< 0,5 % </p>	<p>C12-C15-alcohol ethoxylate(3) CAS: 68131-39-5 , EC: 500-195-7 DSD: Xi:R41 N:R50 CLP: Eye Dam. 1:H318 Aquatic Acute 1:H400</p>		<p>Autoclassified < REACH < REACH</p>												

SECTION 4 : FIRST AID MEASURES

4.1 4.2	<p><u>DESCRIPTION OF FIRST-AID MEASURES AND MAIN SYMPTOMS AND EFFECTS, ACUTE AND DELAYED:</u></p>																	
		<p>Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.</p>																
	<table border="1" style="width: 100%;"> <thead> <tr> <th style="width: 20%;">Route of exposure</th> <th style="width: 40%;">Symptoms and effects, acute and delayed</th> <th style="width: 40%;">Description of first-aid measures</th> </tr> </thead> <tbody> <tr> <td><u>Inhalation:</u></td> <td>Normally does not produce symptoms.</td> <td>Should there be any symptoms, transfer the person affected to the open air.</td> </tr> <tr> <td><u>Skin:</u></td> <td>In case of prolonged contact, the skin may become dry.</td> <td>Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and a solution of 5% sodium bicarbonate. Finally, rewash the affected area with soap and water.</td> </tr> <tr> <td><u>Eyes:</u> </td> <td>Contact with the eyes produces redness and pain.</td> <td>Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.</td> </tr> <tr> <td><u>Ingestion:</u></td> <td>If swallowed in high doses, may cause gastrointestinal disturbances.</td> <td>If swallowed, seek medical advice immediately and show container or label. Due to its acid condition, the effects can be reduced to a minimum by drinking plenty of water, to which milk of magnesia has been added. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.</td> </tr> </tbody> </table>	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures	<u>Inhalation:</u>	Normally does not produce symptoms.	Should there be any symptoms, transfer the person affected to the open air.	<u>Skin:</u>	In case of prolonged contact, the skin may become dry.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and a solution of 5% sodium bicarbonate. Finally, rewash the affected area with soap and water.	<u>Eyes:</u> 	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.	<u>Ingestion:</u>	If swallowed in high doses, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Due to its acid condition, the effects can be reduced to a minimum by drinking plenty of water, to which milk of magnesia has been added. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.		
Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures																
<u>Inhalation:</u>	Normally does not produce symptoms.	Should there be any symptoms, transfer the person affected to the open air.																
<u>Skin:</u>	In case of prolonged contact, the skin may become dry.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and a solution of 5% sodium bicarbonate. Finally, rewash the affected area with soap and water.																
<u>Eyes:</u> 	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.																
<u>Ingestion:</u>	If swallowed in high doses, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Due to its acid condition, the effects can be reduced to a minimum by drinking plenty of water, to which milk of magnesia has been added. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.																

4.3	<p><u>INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:</u> <u>Notes to physician:</u> Damage caused by detergents and tensioactives to intestinal mucus is irreversible. Do not induce vomiting. Pump out stomach prior to the addition of dimeticone (antifrothing agent). <u>Antidotes and contraindications:</u> Specific antidote not know.</p>		
-----	--	--	--

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 5 : FIRE-FIGHTING MEASURES

- 5.1 EXTINGUISHING MEDIA:
In the case of fire in the surroundings, all extinguishing agents are allowed.
- 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:
As consequence of combustion or thermal decomposition, hazardous products may be produced: carbon monoxide, carbon dioxide, phosphorus oxides. Exposure to combustion or decomposition products may be a hazard to health.
- 5.3 ADVICE FOR FIREFIGHTERS:
Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents.
Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

- 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:
Avoid direct contact with this product. Avoid breathing vapours. Keep people without protection in opposition to the wind direction.
- 6.2 ENVIRONMENTAL PRECAUTIONS:
Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.
- 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:
Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc.). Transfer to a suitable container for recovery or elimination. Neutralize with carbonate or sodium bicarbonate. Finally, clean up the area with plenty of water. Keep the remains in a closed container.
- 6.4 REFERENCE TO OTHER SECTIONS:
For contact information in case of emergency, see section 1.
For information on safe handling, see section 7.
For exposure controls and personal protection measures, see section 8.
For subsequent waste disposal, follow the recommendations in section 13.

SECTION 7 : HANDLING AND STORAGE

- 7.1 PRECAUTIONS FOR SAFE HANDLING:
Comply with the existing legislation on health and safety at work.
General recommendations:
Avoid any type of leakage or escape. Keep the container tightly closed.
Recommendations for the prevention of fire and explosion risks:
Not applicable.
Recommendations for the prevention of toxicological risks:
Do not eat, drink or smoke while handling. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8.
Recommendations for the prevention of environmental contamination:
It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
- 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:
Prevent unauthorized access. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10.
Class of store : According to current legislation.
Temperature interval : min: 5. °C, max: 40. °C
Incompatible materials:
Keep away from oxidizing agents, alkalis, amines, alcohols, ketones, metals.
Type of packaging:
According to current legislation.
Limit quantity (Seveso III): Directive 96/82/EC~2003/105/EC:
Not applicable.
- 7.3 SPECIFIC END USES:
For the use of this product do not exist particular recommendations apart from that already indicated.

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:
If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689 standard concerning methods for assessing the exposure by inhalation to chemical agents and national guidance documents for methods for the determination of dangerous substances.

OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)

AGCIH 2011	Year	TLV-TWA		TLV-STEL		Observations
		ppm	mg/m3	ppm	mg/m3	
2-(2-butoxyethoxy)ethanol	1978	3.0	7.5	6.0	15.	

TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.

BIOLOGICAL LIMIT VALUES:

Not available

DERIVED NO-EFFECT LEVEL (DNEL):

Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.

Derived no-effect level, workers: - Systemic effects, acute and chronic: Orthophosphoric acid 2-(2-butoxyethoxy)ethanol	DNEL Inhalation	DNEL Cutaneous	DNEL Oral
	mg/m3	mg/kg bw/d	mg/kg bw/d
	- (a) - (c)	- (a) - (c)	- (a) - (c)
	- (a) 67.5 (c)	- (a) 20.0 (c)	- (a) - (c)

Derived no-effect level, workers: - Local effects, acute and chronic: Orthophosphoric acid 2-(2-butoxyethoxy)ethanol	DNEL Inhalation	DNEL Cutaneous	DNEL Eyes
	mg/m3	mg/cm2	mg/cm2
	- (a) 2.92 (c)	- (a) - (c)	- (a) - (c)
	101. (a) 67.5 (c)	- (a) - (c)	- (a) - (c)

Derived no-effect level, general population:

Not applicable (product for professional or industrial use).

(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated exposure.

(-) - DNEL not available (without data of registration REACH).

PREDICTED NO-EFFECT CONCENTRATION (PNEC):

Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermittent release: Orthophosphoric acid 2-(2-butoxyethoxy)ethanol	PNEC Fresh water	PNEC Marine	PNEC Intermittent
	mg/l	mg/l	mg/l
	- 1.00	- 0.100	- 3.90

- Wastewater treatment plants (STP) and sediments in fresh- and marine water: Orthophosphoric acid 2-(2-butoxyethoxy)ethanol	PNEC STP	PNEC Sediments	PNEC Sediments
	mg/l	mg/kg dry weight	mg/kg dry weight
	- 200.	- 4.00	- 0.400

Predicted no-effect concentration, terrestrial organisms: - Air, soil and effects for predators and humans: Orthophosphoric acid 2-(2-butoxyethoxy)ethanol	PNEC Air	PNEC Soil	PNEC Oral
	mg/m3	mg/kg dry weight	mg/kg bw/d
	- -	- 0.400	- 56.0

(-) - PNEC not available (without data of registration REACH).

RC-13 OUTDOOR CLEANER
Code: 093083/060



8.2

EXPOSURE CONTROLS:

ENGINEERING MEASURES:



Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.



Protection of respiratory system: Avoid the inhalation of vapours.

Protection of eyes and face: It is recommended to dispose of water taps, sources or eyewash bottles with clean water close to the working area.

Protection of hands and skin: It is recommended to dispose of water taps or sources with clean water close to the working area. Barrier creams may help to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.

OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC:

As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc.), you should consult the informative brochures provided by the manufacturers of PPE.

<u>Mask:</u>	No, unless ventilation is insufficient.
<u>Goggles:</u>  ✓	Safety goggles designed to protect against liquid splashes, with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.
<u>Face shield:</u>	No.
<u>Gloves:</u>  ✓	Gloves resistant against chemicals (EN374). The breakthrough time of the selected glove material should be in accordance with the pretended period of use. When it can be a repeated or prolonged contact, it is recommended to use gloves with a protection level 5 or higher, with a breakthrough time >240 min. When you only expects a short contact, it is recommended to use gloves with a protection level 2 or higher, with a breakthrough time >30 min. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, we must have in mind the manual of instructions from manufacturers of gloves. The gloves should be immediately replaced when any sign of degradation is noted.
<u>Boots:</u>	No.
<u>Apron:</u>	No.
<u>Clothing:</u>	No.

Thermal hazards:
Not applicable (the product is handled at room temperature).

ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid any spillage in the environment. Avoid any release into the atmosphere.

Spills on the soil: Prevent contamination of soil.

Spills in water: Because of its acidity, it is dangerous to aquatic organisms. Do not allow to escape into drains, sewers or water courses.

Emissions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any release into the atmosphere.

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1	<p>INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:</p> <p><u>Appearance</u></p> <ul style="list-style-type: none"> - Physical state : Liquid. - Colour : Colourless. - Odour : Characteristic. - Odour threshold : Not available (mixture). <p><u>pH-value</u></p> <ul style="list-style-type: none"> - pH : 1.5 ± 0.5 at 20°C <p><u>Change of state</u></p> <ul style="list-style-type: none"> - Melting point : Not available - Initial boiling point : > 100. °C at 760 mmHg <p><u>Density</u></p> <ul style="list-style-type: none"> - Vapour density : Not available - Relative density : 1.014 at 20/4°C Relative water <p><u>Stability</u></p> <ul style="list-style-type: none"> - Decomposition temperature : Not applicable <p><u>Viscosity:</u></p> <ul style="list-style-type: none"> - Dynamic viscosity : Not available <p><u>Volatility:</u></p> <ul style="list-style-type: none"> - Evaporation rate : Not available - Vapour pressure : 17.5 mmHg at 20°C - Vapour pressure : 12.2 kPa at 50°C <p><u>Solubility(ies)</u></p> <ul style="list-style-type: none"> - Solubility in water: : Miscible - Solubility in oils and fats: : Not available <p><u>Flammability:</u></p> <ul style="list-style-type: none"> - Flash point : Inflammable °C - Upper/lower flammability or explosive limits : Not applicable - Autoignition temperature : Not applicable <p><u>Explosive properties:</u> Not available.</p> <p><u>Oxidizing properties:</u> Based on the chemical structure of the ingredients of the mixture, is unable to react with combustible materials.</p>
-----	--

9.2	<p>OTHER INFORMATION:</p> <ul style="list-style-type: none"> - Surface tension : 71. din/cm at 20°C - Heat of combustion : 273. Kcal/kg - Solids : 4.2 % Weight - VOC (supply) : 3.5 % Weight - VOC (supply) : 35.5 g/l <p>The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheet of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.</p>
-----	--

SECTION 10 : STABILITY AND REACTIVITY

10.1	<p>REACTIVITY:</p> <p><u>Corrosivity to metals:</u> It is not corrosive to metals.</p> <p><u>Pyrophorical properties:</u> It is not pyrophoric.</p>
10.2	<p>CHEMICAL STABILITY:</p> <p>Stable under recommended storage and handling conditions.</p>
10.3	<p>POSSIBILITY OF HAZARDOUS REACTIONS:</p> <p>Possible dangerous reaction with oxidizing agents, alkalis, amines, alcohols, ketones, metals.</p>
10.4	<p>CONDITIONS TO AVOID:</p> <p><u>Heat:</u> Keep away from sources of heat.</p> <p><u>Light:</u> If possible, avoid direct contact with sunlight.</p> <p><u>Air:</u> Not applicable.</p> <p><u>Pressure:</u> Not applicable.</p> <p><u>Shock:</u> Not applicable.</p>
10.5	<p>INCOMPATIBLE MATERIALS:</p> <p>Keep away from oxidizing agents, alkalis, amines, alcohols, ketones, metals.</p>
10.6	<p>HAZARDOUS DECOMPOSITION PRODUCTS:</p> <p>As consequence of thermal decomposition, hazardous products may be produced: phosphorus oxides.</p>

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 11 : TOXICOLOGICAL INFORMATION

No experimental toxicological data on the preparation is available. The toxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008~286/2011 (CLP).

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

Dose and lethal concentrations for individual ingredients :
Orthophosphoric acid
2-(2-butoxyethoxy)ethanol
C12-C15-alcohol ethoxylate(3)

DL50 (OECD 401)
mg/kg oral
1530. Rat
3384. Rat
> 5000. Rat

DL50 (OECD 402)
mg/kg cutaneous
2740. Rabbit
2764. Rabbit
> 2000. Rat

CL50 (OECD 403)
mg/m3.4h inhalation
> 6000. Rat
> 1600. Rat

No observed adverse effect level

Not available

Lowest observed adverse effect level

Not available

INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:

Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed
<u>Inhalation:</u> Not classified	ETA > 20000 mg/m3	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).
<u>Skin:</u> Not classified	ETA > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).
<u>Eyes:</u> Not classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).
<u>Ingestion:</u> Not classified	ETA > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).

CORROSION / IRRITATION / SENSITISATION :

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Respiratory corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).
<u>Skin corrosion/irritation:</u> Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).
<u>Serious eye damage/irritation:</u> 	Eyes 	Cat.2	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).
<u>Respiratory sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).
<u>Skin sensitisation:</u> Not classified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
<u>Aspiration hazard:</u> Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):

Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.

Genotoxicity: Is not considered as a mutagenic product.

Toxicity for reproduction: Do not harm fertility. Do not harm the fetus developing.

Effects via lactation: Not classified as a hazardous product for children breast-fed.

RC-13 OUTDOOR CLEANER
Code: 093083/060



DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Routes of exposure: May be absorbed by inhalation of vapour, through the skin and by ingestion.

Short-term exposure: May irritate the eyes and skin.

Long-term or repeated exposure: Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

ADDITIONAL INFORMATION:

Not available.

SECTION 12 : ECOLOGICAL INFORMATION

No experimental ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been carried out by using the conventional calculation method of the Regulation (EC) No. 1272/2008~286/2011 (CLP).

12.1	<u>TOXICITY:</u>			
	<u>Acute toxicity in aquatic environment for individual ingredients :</u> Orthophosphoric acid 2-(2-butoxyethoxy)ethanol C12-C15-alcohol ethoxylate(3)	<u>CL50 (OECD 203)</u> mg/l.96hours 138. Fishes 1300. Fishes 3.1 Fishes	<u>CE50 (OECD 202)</u> mg/l.48hours 265. Daphnia > 100. Daphnia 0.14 Daphnia	<u>CE50 (OECD 201)</u> mg/l.72hours > 100. Algae > 100. Algae 0.75 Algae
	<u>No observed effect concentration</u> Not available			
	<u>Lowest observed effect concentration</u> Not available			

12.2 PERSISTENCE AND DEGRADABILITY:
Biodegradability: The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation 648/2004/EC on detergents: Ultimate aerobic biodegradation > 60% within 28 days. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

12.3 BIOACCUMULATIVE POTENTIAL:
Not available.

12.4 MOBILITY IN SOIL:
Not available.

12.5 RESULTS OF PBT AND MPMB ASSESMENT: Annex XIII of Regulation (EC) no. 1907/2006:
Not applicable.

12.6 OTHER ADVERSE EFFECTS:
Ozone depletion potential: Not available.
Photochemical ozone creation potential: Not available.
Earth global warming potential: Not available.
Endocrine disrupting potential: Not available.

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS: Directive 2008/98/EC:
Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.

Disposal of empty containers: Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC:
Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of emptying of the same, being the holder of the residue responsible for their classification, in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.

Procedures for neutralising or destroying the product:
Authorised landfill in accordance with local regulations.

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 14 : TRANSPORT INFORMATION

14.1	<u>UN NUMBER:</u> Not applicable
14.2	<u>UN PROPER SHIPPING NAME:</u> Not applicable
14.3 14.4	<u>TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:</u> <u>Transport by road (ADR 2013) and Transport by rail (RID 2013):</u> Not reglamented <u>Transport by sea (IMDG 35-10):</u> Not reglamented <u>Transport by air (ICAO/IATA 2012):</u> Not reglamented <u>Transport by inland waterways (ADN):</u> Free.
14.5	<u>ENVIRONMENTAL HAZARDS:</u> Not applicable (not classified as hazardous for the environment).
14.6	<u>SPECIAL PRECAUTIONS FOR USER:</u> Ensure adequate ventilation.
14.7	<u>TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:</u> Not applicable.

SECTION 15 : REGULATORY INFORMATION

15.1	<u>EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:</u> The regulations applicable to this product generally are listed throughout this material safety data sheet. <u>Restrictions on manufacture, placing on market and use:</u> See section 1.2 <u>Control of the risks inherent in major accidents (Seveso III):</u> See section 7.2 <u>Tactile warning of danger:</u> Not applicable <u>Child safety protection:</u> Not applicable <u>Legislación específica sobre detergentes:</u> It is applicable the Regulation (EC) No. 648/2004~907/2006 on detergents. Contains non-ionic surfactants < 5 %. Do not swallow. <u>OTHER REGULATIONS:</u> Not available
------	---

15.2	<u>CHEMICAL SAFETY ASSESSMENT:</u> Not applicable (mixture).
------	---

RC-13 OUTDOOR CLEANER
Code: 093083/060



SECTION 16 : OTHER INFORMATION

- 16.1 [TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3:](#)
[Hazard statements according the Regulation \(EC\) No. 1272/2008~790/2009 \(CLP\), Annex III:](#)
 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.
[R-phrases according the Directive 67/548/EEC~2001/59/EC \(DSD\), Annex III:](#)
 R34 Causes burns. R36 Irritating to eyes. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
[Notes related to the identification, classification and labelling of the substances:](#)
 Note B : Some substances are placed on the market in aqueous solutions at various concentrations and these solutions require different classification and labelling since the hazards vary at different concentrations.
- [ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:](#)
 It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.
- [MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:](#)
- European Chemicals Agency: ECHA, <http://echa.europa.eu/>
 - Access to European Union Law, <http://eur-lex.europa.eu/>
 - European Chemicals Bureau: Existing Chemicals, <http://esis.jrc.ec.europa.eu/>
 - Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970).
 - Threshold Limit Values, (AGCIH, 2011).
- [ABBREVIATIONS AND ACRONYMS:](#)
 List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:
- REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.
 - DSD: Dangerous Substances Directive.
 - DPD: Dangerous Preparations Directive.
 - GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations.
 - CLP: European regulation on Classification, Labelling and Packaging of substances and chemical mixtures.
 - EINECS: European Inventory of Existing Commercial Chemical Substances.
 - ELINCS: European List of Notified Chemical Substances.
 - CAS: Chemical Abstracts Service (Division of the American Chemical Society).
 - UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials).
 - SVHC: Substances of Very High Concern.
 - PBT: Persistent, bioaccumulable and toxic substances.
 - vPvB: Very persistent and very bioaccumulable substances.
 - VOC: Volatile Organic Compounds.
 - DNEL: Derived No-Effect Level (REACH).
 - PNEC: Predicted No-Effect Concentration (REACH).
 - LD50: Letal dose, 50 percent.
 - LC50: Letal concentration, 50 percent.
 - UN: United Nations Organisation.
 - ADR: European agreement concerning the international carriage of dangerous goods by road.
 - RID: Regulations concerning the international transport of dangerous goods by rail.
 - IMDG: International Maritime code for Dangerous Goods.
 - IATA: International Air Transport Association.
 - ICAO: International Civil Aviation Organization.
- [MATERIAL SAFETY DATA SHEET REGULATIONS:](#)
 Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex I of Regulation (EU) No. 453/2010.
- [HISTORY:](#) [Date of compilation:](#)
 Version: 1 13/09/2013

The information of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.